


Thank you
NO SMOKING
NO VAPING
PUSH
VISA
mastercard
CFIB
PUSH




Red Bull
RedBull
ALIGAL




Penne Alla Vodka
Always Fresh & Delicious






ANGUS




ORKIN
PEST CONTROL
DEVICE
Ardent Mills
Ardent Mills ULC
MISSISSAUGA, ONTARIO L5N 2W5
www.ardentmills.ca
Questions? 1-800-361-5258
Resinite
POLY

POLY

FR45100
45cm x 100M

2018 CERTIFICATE OF PEST MANAGEMENT

ORKIN

CANADA




Rubbermaid



TRENTON







REFRIGERATION
TRENTON
PRODUCTS








BEVERAGE-AIR






VULCAN


Please put the LID ON






WASH YOUR
ECOLAB


ECOLAB
51805F
FILM
WP










Resinite


ANGUS






Always Fresh &
Delicious










RESTROOMS









Honeywell


SOMERSBY
REFRESHINGLY CRISP CIDER
HOPCITY
BREWING CO.
SYSCO
01268


SOMERSBY
REFRESHINGLY CRISP CIDER
HOPCITY
BREWING CO.
STONE
Kruger
TITAN
BOLD
DO NOT DROP
HANDLE WITH CARE
SYSCO
6 ROULEAUX
01268


Need To Purchase
PRICE GROUP


HOPCITY
BREWING CO.
STONE
STONE


SYSCO
JUMBO BATHROOM TISSUE JR.
2 PLY
3.5 in x 750 ft
5758164
Classique
SYSCO
PAPIER HYGIÉNIQUE JR. EN RO
15/02/2023 05:25
05638
61328
White • 6 Rolls
6 in x 800 ft (20.3 cm x 244.8 m)
Kruger
White Swan
2 PLY
PKINS
16.8"
FOLD
271
07608


ECOLAB
WAREWASHING PROCEDURES – ES-2000/4000
PROCEDIMIENTOS PARA EL LAVADO DE VAJILLA – ES-2000/4000
ECOLAB
PPP
ITEM #: SP2102
1000PCS, Bulk


Classic
SYSCO
05638
01959
38/04
CAUTION
Glidden


WAREWASHING PROCEDURES – ES-2000/4000
PROCEDIMIENTOS PARA EL LAVADO DE VAJILLA - ES-2000/4000
ECOLAB
PPP
SYSCO
05638


MUG
MUG


ECOLAB
CHEMICAL SAFETY TIPS
CONSEILS DE SÉCURITÉ
MANUAL CLEANING PROCESS
ECOLAB
WASH YOUR HANDS
ROOT BEER



TAAS
Golden Drops
CAUTION
WET
FLOOR
SYSCO
SYSCO


HOPCITY
BREWING CO.
STONE
STONE


HOPCITY
BREWING CO.
Stone
09649
Redpath
SYSCO
HOPCITY
BREWING CO.


Need To Replace
- Rubber




golf pencils
crayons de golf
HB/2
FED FROM MAIN ELEC ROOM
HEAVY DUTY
SAFETY SWITCH
INTERRUPTEUR
DE SÉCURITÉ À
FORT CALIBRE
200 A
DANGER
ON
OFF
PANEL A
FIRE ALARM ANNUNCIATOR

FIRE ALARM ANNUNCIATOR

FED FROM MAIN ELEC ROOM


PANEL A

HEAVY DUTY
SAFETY SWITCH
INTERRUPTEUR
DE SECURITE À
FORT CALIBRE
200 A
600 Vac / V~ 600 Vdc

SQUARE D

DANGER

golf pencils
crayons de golf


EOL - HORN
EOL
STAIR - ENTRY
FRONT
EOL
DIN
+
PREP
golf pencils
crayons de golf
HB/2
144
CERTIFICATE OF INSPECTION
Tremblay Fire Solutions


CAUTION
DANGER
PELIGRO
DANGER
OFF
BAR Hallway
LIGHTS


DANGER
PELIGRO
DANGER
WARNING
ADVERTENCIA
AVERTISSEMENT
QOC30UC
EMERG LIGHTING
DINING AREA LIGHTING
WASHROOM RECEPTACLES
CEILING FIXTURES
OUTDOOR WALL LIGHTS
BAR COOLER
BAR COOLER
WALL PLUGS
WALL PLUGS
KITCHEN (GFI)
KITCHEN LIGHTS
KITCHEN FRIDGE
FIRE ALARM
PLUGS
PANEL PLUGS
BAR SUB PANEL
MEN'S U/R GFI
DISHWASHER
AREA PLUGS
DISHWASHER
AREA PLUGS
WASHROOM LIGHTS
KITCHEN
EXHAUST
KITCHEN
EXHAUST
ELECTRICAL RM LIGHT/HALL LIGHTING
HALLWAY
DINING LIGHTS
Heater


BAR
LIGHTS



GAS VENT TYPE BH CLASS IIA 65°C

Rheem

Reliance
rental water heater

This equipment is the property of Reliance
home comfort

Attention: Water damage can occur if water "leaks" or "discharges" from your rental water heater.

You are responsible for ensuring your rental water heater is not located in an area where "leaking" or "discharging" water could result in water damage to your property (including building, flooring, wallboard, etc.) or adjoining neighbour's property. Do not store valuable personal items near the water heater or in a location where they can be damaged by leaking or discharging water. Leaking or discharging water must have a clear passage of flow to an open floor drain. Reliance Home Comfort cannot be responsible for any damages resulting from "leaking or discharging" water from your rental water heater.

Leaking Water:
Regardless of the material from which a water heater is constructed or whether it is owned or rented, there is potential for a leak to occur. Leaks are not predictable. If you notice a leak, please call the number below.

Discharging Water:
The water heater is equipped with a pressure relief valve. This important safety device is designed to allow water to discharge under abnormal pressure conditions. The pressure relief valve must not be plugged. If you notice water discharging from the pressure relief valve, please call the number below.

If we are missing, please contact us at the number below.

Homes Run Better On Reliance™

For service call 1-866-Reliance (735-4262)

DANGER

Chaud

ADDITIONAL INSTRUCTIONS AND WARNINGS MAY BE FOUND ON INSIDE OF FRONT COVER AND ON SIDES OF WATER HEATER

DES INSTRUCTIONS ET DES AVERTISSEMENTS SUPPLÉMENTAIRES SE TROUVENT À L'INTÉRIEUR DU COUVERCLE AVANT ET SUR LES CÔTÉS DU CHAUFFE-EAU

ENERGY STAR

140 °C


For service call 1-866-Reliance (735-4262)
PRIORITY
WARNING
POWER
SHIFT 1 01:39


140


BAR HOUSE
LIGHTS
Employees




RESTROOMS




TRENTON
désinfectant
eau de javel ultra
3.6 L
ATTENTION


TRENTON


DSI
DRAUGHT
DSI


DSI
DRAUGHT
413-224-BEER
IMPORTANT
KNOB UP
KNOB DOWN
OUT
TO RELEASE BALL PUSH KNOB UP AND PULL BACK


DSI




Ottawa
Commercial
Refrigeration
Service
EMERGENCY
24h
SERVICE
Tel. 613.606.7600
www.refrigerationservice.ca
"Specializing in commercial refrigeration since 1980"


SERVED HERE!
PERTH
BREWERY
Ladies








Men
Bickard's
RED
Budweiser

IN CASE OF FIRE
PULL FIRE ALARM AND CALL
FIRE DEPARTMENT
911
EN CAS D'INCENDIE
TIREZ SUR LA MANETTE ET
APPELEZ
LE SERVICE DES INCENDIES

FEU FIRE
TIREZ - PULL


SERVED HERE!
PERTH
BREWERY




Men
Budweiser


Koala Kare


NO SMOKING
NO VAPING


NO SMOKING
NO VAPING
























Koala Kare


Koala Kare








Ladies


NO SMOKING
NO VAPING




NO SMOKIN
NO VAPING












Heineken


Heineken




WASHROOM





Alcohol and Gaming Commission of Ontario
90 Sheppard Avenue East, Suite 200
Toronto ON M2N 0A4
Tel.: 416-326-8700
Toll free in Ontario: 1-800-522-2876
Inquiries: www.agco.ca/lagco • Website: www.agco.ca

No.: LSL1286460
Expiry Date: Sept. 29, 2023

Liquor Sales Licence
(Licence to Operate a Liquor Consumption Premises)

Issued under the *Liquor Licence and Control Act*, 2019

Issued to	AARUSUVAI LTD.	Issue Date	Nov. 02, 2022
Doing Business As	AARUSUVAI	Address	23 RUSSEL ST E SMITHS FALLS, ON K7A1E8

Licensed Area(s)		Capacity
Indoor	Ground Level: Bar Area - East to West	40
	Ground Level: Dining Area - North to South	105
Outdoor	Ground Level: Patio - North to South	30
Endorsement(s)	Bring-Your-Own Wine Endorsement	

ADDITIONAL DETAILS

1. Subject to any conditions, all areas of this premises under the exclusive control of the licence holder and to which the public is ordinarily invited or permitted access, are licensed for the sale, service and consumption of liquor.

This licence must be posted in a conspicuous place in the licensed premises.
This licence is not transferable without approval of the Registrar.

1248E (2017/05) © Queen's Printer for Ontario, 2017


Heineken


WASH YOUR HANDS
Stone




WISER'S
Deluxe


Heineken
STONE
J.P. WISER'S
Deluxe


Sub Panel #2
Cutler-Hammer
ORKIN

Sub Panel #2

Spare

Spare

Spare

Bar Lights

Back wall bar receptacle

GFCI + Ext bar recept.

GFI Low PNG

GFI T-Slot Bar recept.

GFCI T-Slot Bar recept.

T-Slot Bar recept.

DO NOT REMOVE THESE TWISTOUTS

SERVICE DISCONNECT INTERRUPTOR DE ACOMETIDA

Cutler-Hammer

CAT. NO. DE CAT. CPM112 SER. B
125A MAX MAIN
24 CIRCUITS MAX
TYPE 1 ENCLOSURE
120/240V AC 1Ø 3W-GD&FAN

TYPICAL WIRING DIAGRAM
DIAGRAMME DE FILERIE

J & J ELECTRIC (SMITHS FALLS) LTD.

Compliance Notice
ECR0080

Rough Wire ☐ Service ☐ Final ☐

Description of work:

Name:

Signature:

Date

Electrical Safety Authority

www.esasinspection.net

DANGER


HOPCITY
Live Music
With
FRASER
8pm - 11pm


NOTICE
AXIS SALON






Heineken
Heineken


Best Flavors
Chicken Wings




HOPCITY






HOPCITY
Live
FRASER












8 pi BA
Certainteed
Fast-Up PANNEL














16 x 24 x 2














COMMANDER
AVC


COMMANDER





Goodman



Goodman


Goodman










520
F. COLETT
IN CASE OF FIRE
PULL FIRE ALARM AND CALL
FIRE DEPARTMENT
911
EN CAS D'INCENDIE
TIREZ SUR LA MANETTE ET
APPELEZ
LE SERVICE DES INCENDIES
FEU FIRE
TIREZ - PULL
RONA
Commercial




2014-114


2014-114
BUILDING PERMIT
Sysco
Classic
BRAND LINE-UP


2014-114
BUILDING PERMIT
Sears
Sysco
Classic
BRAND LINE-UP
Bread Crumbs


2014-114
BUILDING PERMIT
Town of Smiths Falls
UBC
Quality Assurance Certificate
BRAND
LINE-UP!
Bread Crumbs


D-Link
Remee
Sears
Sysco
Classic
7498694
CAT 5E
25
DO NOT BEND




ThinkServer



2014-114

BUILDING PERMIT

Town of Smiths Falls

23-25 RUSSELL ST. E.

Renovation/Alter/Repair

Alterations and Improvements

Tavern

ISSUED -Dec 19, 2014

C.B.O.

-BS PERMIT MUST BE POSTED CONTINUOUSLY FROM THE DATE ISSUED UNTIL FINAL INSPECTION PASSED.

INSPECTIONS REQUIRED

ALL CONSTRUCTION STAGES & SYSTEMS PRIOR TO COVERING

48 HRS NOTICE - 613-283-4124 EXT. 1171

UBC group

Quality Assurance Certificate

This certificate is issued to guarantee that beverage Electric Glycol Chiller

"KALINKA-ICE"

Serial number 006-0015

has passed UBC Group's quality assurance testing.

Signed by: Sirotnik A., Director of Quality Assurance Department

Signature:

Date: 21.06.2015